UREMENT BOOK

Dimensions				Contents	*Reference to last Measurement
ber	Length	Breadth	Depth		
	4	5	6	7	8

(Rule 116)
ent Book

No. B

494283

Pre-measurements

al No. 1st and final bill.

e of Work Improvements to roads From of BGS layout To of BGS layout in ward no-07

e of Contractor of nature of Agency byalarayanapura

of commencement of work ↳ M/S. KRIDL

	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
	Est cost:-	Rs. 30.00 lakhs					
	Job Number:-	007-18-00004					
	Head of account:-	P3333					
	A.S.NO:-	AS | EE(BTP) | 145 | 17-18 ; dt: 23.12.17					
	T.S.NO:-	TS | CE(YNK) | 530 | 17-18 ; dt 12.01.18					
	Agr no:-	NO. EE | BTP | Agr | 98 | 17-18; dt: 02.03.18					
	Work order no:-	NO. BBMP | EE | BTP | WO | 98 | 17-18 ; dt: 02.03.18					
	Work order amount:-	Rs. 29,97,136 | -					

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Reference to last Measurement
		Number	Length	Breadth	Depth		
1	MAIN-BRL 2	3	4	5	6	7	8
	Item No. 01:- Earthwork excavation by manual means in ordinary soil involving an average horizontal throw upto 2m & an average lift upto 0.5m, excavated surface levelled neatly after breaking of clods complete;						
	Qty vide page no. 494283 →					153.90 cum	
	At the rate of Rs. 186.92 →						28766.98
	Item No. 02:- Providing and laying in position plain cement concrete of mix 1:3:6 with OPC cement @ 220kgs, with 40mm & down size graded granite metal coarse aggregates @ 0.892 cum and fine aggregates @ 0.465 cum, machine mixed, concrete laid in layers, in foundation;						

NIL #4043

rial No. .....
me of Work .....
me of Contractor of nature of Agency
te of commencement of work .....

Date	Full description, etc, of work
	2
	Qty vide pa
	At the rate
	Item No. 05:- Provid
	Straightening, e
	and or welding k
	anchoring to the
	design, cost of m
	Qty vide p
	At the rate

ENT BOOK

Dimensions			Contents	*Reference to last Measurement
gth 4	Breadth 5	Depth 6	7	8
manual means			in ordinary	
rial throw upto 2m & an			leveled neatly	
aled surface				
de.;				
→		153.90 cum		
→				28766.98
osition plain cement concrete				
e 220kgs, with 40mm &				
al coarse aggregates e				
tles e 0.465 cum, machine				
s, in foundation.;				

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494290

rial No. .....
me of Work ..... From..... To.....
me of Contractor of nature of Agency .....
te of commencement of work .....

Date	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Qty vide page no. 494284 →				17.10 cum		
	At the rate of Rs. 5348.76 →						91463.80
	Item No.05:- Providing TMT steel reinforcement for RCC works including straightening, cutting, bending, hooking, placing in position, lapping and or welding wherever required, tying with binding wire and anchoring to the adjoining members wherever necessary complete as per design, cost of materials, labour, HOM of machinery complete.,						
	Qty vide page no. 494285 →				2.90 tonne		
	At the rate of Rs. 64243.42 →						186305.92

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Item No.03:- Providing and removing centering, shuttering, strutting, propping etc, for columns, pillars, post & struts, square / rectangular, polygon in plan including cost of all materials, labour complete as per specifications.						
	Qty vide page no. 494285 →			432.05 sqm			
	At the rate of Rs. 387.96 →					167598.70	
	Item No.07:- Excavation for roadwork in soil with hydraulic excavator of 0.90 cum bucket capacity including cutting and loading in tippers trimming bottom and sides slopes, in accordance with requirements of lines, grades and						

NIT #4047

erial No. .....
ame of Work .....
ame of Contractor of nature of Agency
ate of commencement of work .....

Date	Full description, etc, of work
1	2
	cross sections and complete.,
	Qty vide p
	At the rate
	Item No.08:- Providing stone aggregates the material with mixed material b

MENT BOOK

Dimensions			Contents	*Reference to last Measurement
ength 4	Breadth 5	Depth 6	7	8
ering, shuttering,				
mns, pillars, post &				
lygon in plan				
labour complete as per				
→ 432.0 sqm				
→			167598.70	
in soil with hydraulic				
capacity including cutting				
ing bottom and sides slopes,				
s of lines, grades and				

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494291

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	cross sections and transporting to embankment location and complete.,						
	Qty vide page no. 494286 →				196.0 cum		
	At the rate of Rs. 148.76 →						29156.95
	Item No. 08.- Providing, laying, spreading and compacting graded stone aggregates to wet-mix-macadam, specification including, premixing the material with water at OMC, in mechanical mix plant carriage of mixed material by tipper,						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Qty vide page no. 494287 →			65.20 cum			
	At the rate of Rs. 1768.08 →					115278.80	
	Item No. 09:- Providing and applying primer coat with SS bitumen emulsion on prepared surface of granular base such as WBM including clearing of road surface and spraying primer at the rate of 0.60 kg/sqm using mechanical means complete as per specifications.						
	Qty vide page no. 494287 →			326.0 sqm			
	At the rate of Rs. 27.56 →					8984.50	

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency
Date of commencement of work .....

Date	Full description, etc, of work
1	2
	Item No. 10:- Clean soft brushes and f compressed air + all materials, lab
	Qty vide pa
	At the rate

MENT BOOK

Dimensions			Contents	*Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
87 →	65.20 cum		115278.80	
08 →				
ging primer coat with SS bitumen				
ace of granular base such as				
oad surface and spraying				
g/sqm using mechanical means				
ns.				
4287 →	324.0 sqm			
6 →			8984.50	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494292

Serial No. ..... From..... To.....

Name of Work .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Item No. 10:- Cleaning the existing black-topped surface with brooms, soft brushes and finally dusting with old gunny bags and/or compressed air to receive bituminous treatment including cost of all materials, labour, HOM of machineries complete as per specifications.						
	Qty vide page no. 494289 →				4686.09 sqm		
	At the rate of Rs. 3.18 →						13947.50

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	"Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Item No.04:- Providing and laying in position reinforced cement concrete of design mix M20 with OPC cement @ 320 Kgs, with 20mm and down size graded granite metal coarse aggregates @ 0.69 cum and fine aggregates @ 0.460 cum, with super plasticisers @ 3 lts confirming., concrete laid in layers not exceeding 15cm th, vibrated for all works in foundation for footings, pedestals, retaining walls, return walls, walls (any thickness), including attached pilasters, columns, pillars, posts, struts, buttresses, labour, HOM of machinery, curing, complete.,						

Serial No. .....
Name of Work .....
Name of Contractor of nature of Age
Date of commencement of work ....

Date	Full description, etc, of w
1	2
	RCC-drain
	At the

ENT BOOK

Dimensions			Contents	Reference to last Measurement
gth 4	Breadth 5	Depth 6	7	8
position	reinforced cement			
with OPC cement @ 320 kgs,				
graded granite metal				
m and fine aggregates				
oisers @ 3 lts confirming.,				
exceeding 15 cm th, vibrated				
footings, pedestals,				
s, walls (any thickness),				
columns, pillars, posts,				
m of machinery, curing,				

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494293

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2		Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	RCC-drain	0-40	01	40.0	0.75	0.15	= 4.50	
			1 x 2	40.0	0.15	0.60	= 7.20	
		30-30	02	30.0	0.75	0.15	= 6.75	
			1x2	30.0	0.15	0.60	= 10.8	
		30-60	02	30.0	0.75	0.15	= 6.75	
			2x2	30.0	0.15	0.60	= 10.8	
		Co-70	02	10.0	0.75	0.15	= 2.25	
			2x2	10.0	0.15	0.60	= 3.60	
							52.65	cum 335467.90
	At the rate of Rs.			6371.66 →				

Clr
24/8/15

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Item No. 06:- Providing and fixing RCC precast cover slab of 100mm thick for drain in cement concrete M20 using graded granite jelly 20mm and down size with steel reinforcement, including formwork, lift charges, curing and concrete finished surfaces on both sides.						
	Covering slabs:-						
	0-40	60	0.60	0.75	= 27.00		
	0-30	100	0.60	0.75	= 59.40		
	30-60	100	0.60	0.75	= 59.40		
	60-70	01	0.60	0.75	= 0.45		
					145.0 sqm		
	Qty ltd to 135.00 sqm						

Assistant Executive Engr
Kodigehalli Sub Divisi
Bruhat Bangalore Mahanag
Bangalore - 56

Serial No. .....
Name of Work .....
Name of Contractor of nature of Ag
Date of commencement of work ....

Date	Full description, etc, of w
1	2
	At the r
	Item No. 11:- Provi
	bitumen (VG10
	heating bitum
	0-3
	30-6
	60-9
	90-1
	120

T BOOK

nsions		Contents	*Reference to last Measurement
Breadth 5	Depth 6	7	8
east	cover slab of 100mm		
M20	using graded		
size	with steel		
ork,	lift charges,		
urfaces on	both sides.		
0.75	= 29.80		
0.75	= 59.40		
0.75	= 59.40		
0.75	= 0.45		
	145.0 sqm		

Assistant Executive Engr
Kodigehalli Sub Divisi
uhat Bangalore Mahanag
Bangalore - 56

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494294

Serial No. ..... From ..... To .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	At the rate of Rs. 2100.00 →						2835000.00
	Item No. 11:- Providing and applying tack coat using 20/100 grade bitumen (VG10) on prepared black topped surface at 2.5kg/10sqm, heating bitumen in boiler fitted with spray set.,						
	0-30	01	30.0	6.35	-	190.50	
	30-60	01	30.0	6.25	-	187.50	
	60-90	01	30.0	6.0	-	180.0	
	90-120	01	30.0	6.05	-	181.50	
	120-150	01	30.0	6.15	-	184.50	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	150-180	01	30.0	6.30	- =	189	
	180-210	01	30.0	6.30	- =	189	
	210-240	01	30.0	6.35	- =	190.5	
	240-270	01	30.0	6.20	- =	186.0	
	270-282	01	12.0	6.0	- =	72.0	
						1750.5 sqm	
	1st main road:-						
	0-30	01	30.0	6.70	- =	201	
	30-60	01	30.0	6.35	- =	190.50	
	60-90	01	30.0	6.30	- =	189.0	
	90-120	01	30.0	6.6	- =	198.0	
	120-150	01	30.0	6.45	- =	193.50	
	150-180	01	32.0	6.25	- =	200.0	
						1172.05 sqm	

NIT #4943

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Nu
1	2	
	Cross road:- 0-30	
	30-48	
	2nd main road: 0-30	
	30-60	
	60-90	
	90-120	
	120-150	
	150-188	

EMENT BOOK

Dimensions			Contents	*Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
30·0	6·30	-	= 189	
30·0	6·30	-	= 189	
30·0	6·35	-	= 190·5	
30·0	6·20	-	= 186·0	
12·0	6·0	-	= 72·0	
			1750·5 sqm	
30·0	6·70	-	= 201	
30·0	6·35	-	= 190·50	
30·0	6·30	-	= 189·0	
30·0	6·6	-	= 198·0	
30·0	6·45	-	= 193·50	
32·0	6·25	-	= 200·0	
			1172·05 sqm	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494295

Serial No. ..... From..... To.....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	cross road:- 0-30	01	30·0	6·15	-	= 184·50	
	30-48	01	18·0	6·20	-	= 111·60	
						296·10 sqm	
	2nd main road: 0-30	01	30·0	6·15	-	= 184·50	
	30-60	01	30·0	5·9	-	= 177·0	
	60-90	01	30·0	5·7	-	= 171·0	
	90-120	01	30·0	5·95	-	= 178·50	
	120-150	01	30·0	6·60	-	= 198·0	
	150-188	01	38·0	6·80	-	= 258·40	
						1167·60 sqm	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
				Total = 4386.0 sqm			
	Patch work:-	01	30.0	3.0	-	= 90.0	
		01	40.0	3.0		= 120.0	
		01	5.0	4.0		= 20.0	
						4616.0 sqm	
	Add 4% Ltd to 4610.50 sqm						
	At the rate of Rs 11.66 →					53758.00	
	Item No 12:- Providing and laying bituminous concrete 40mm compacted thickness with VG30 bitumen grade using 40-60 HMP using crushed aggregates of grading II, premixed with bituminous binder at 6% of mix and filler, transporting the hot mix to work site, laying with a						

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agen
Date of commencement of work .....

Date	Full description, etc, of wor
1	2
	mechanical pav
	mechani smooth
	the desired cor
	Main road:- C
	0-3
	30-6
	60-9
	90-12
	120-1
	150-1
	180-

MENT BOOK

Dimensions			Contents	*Reference to last Measurement
ength 4	Breadth 5	Depth 6	7	8
			Total = 4386.0 sqm	
30.0	3.0	-	= 90.0	
40.0	3.0		= 120.0	
5.0	4.0		= 20.0	
			4616.0 sqm	
			53758.00	
bitominous concrete 40mm				
30 bitumen grade using 40-60				
ates of grading II, premixed				
6% of mix and filler,				
work site, laying with a				

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494296

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	mechanical paver finisher to the xquired grade, level and alignment mechani smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MORTH specification.)						
	Main road:- CH:						
	0-30	01	30.0	6.35	0.04	= 7.62	
	30-60	01	30.0	6.25	0.04	= 7.50	
	60-90	01	30.0	6.0	0.04	= 7.20	
	90-120	01	30.0	6.05	0.04	= 7.26	
	120-150	01	30.0	6.15	0.04	= 7.38	
	150-180	01	30.0	6.30	0.04	= 7.56	
	180-210	01	30.0	6.30	0.04	= 7.56	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	210-240	01	30.0	6.35	0.04	= 7.62	
	240-270	01	30.0	6.20	0.04	= 7.44	
	270-282	01	12.0	6.0	0.04	= 2.88	
						70.02 cum	
	1st main road:-						
	0-30	01	30.0	6.70	0.04	= 8.04	
	30-60	01	30.0	6.35	0.04	= 7.62	
	60-90	01	30.0	6.30	0.04	= 7.56	
	90-120	01	30.0	6.60	0.04	= 7.92	
	120-150	01	30.0	6.45	0.04	= 7.74	
	150-180	01	30.0	6.25	0.04	= 7.50	
						46.38 cum	
	cross road:-						
	0-30	01	30.0	6.15	0.04	= 7.38	
	30-48	01	18.0	6.20	0.04	= 4.46	
						11.84 cum	

Serial No. .....
Name of Work .....
Name of Contractor
Date of commencem

Date	Full des
1	
	20

Patchwo

Bruhat Ban

MENT BOOK

Dimensions			Contents	*Reference to last Measurement
ength 4	Breadth 5	Depth 6	7	8
0·0	6.35	0·04	7·62	
0·0	6.20	0·04	7·44	
·0	6·0	0·04	2·88	
			70·02 cum	
0·0	6·70	0·04	8·04	
0·0	6.35	0·04	7·62	
0·0	6.30	0·04	7·56	
0	6·60	0·04	7·92	
0·0	6.45	0·04	7·74	
0·0	6.25	0·04	7·50	
			46.38 cum	
0·0	6.15	0·04	7·38	
0·0	6.20	0·04	4.46	
			11.84 cum	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494297

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	2nd main road:-						
	0-30	01	30·0	6.15	0·04	= 7.38	
	30-60	01	30·0	5.90	0·04	= 7.08	
	60-90	01	30·0	5·70	0·04	= 6.84	
	90-120	01	30·0	5·95	0·04	= 7.14	
	120-150	01	30·0	6·60	0·04	= 7.92	
	150-188	01	38·0	6.80	0·04	= 10.30	
						46·6	
	Patchwork:-	01	30·0	3·0	0·04	= 3.60	
		01	40·0	3.0	0·04	= 4.85	
		01	5·0	4·0	0·04	= 0.80	
						9.25	

Assistant Executive Engineer
Kodigehalli Sub Division
Bruhat Bangalore Mahanagara Palike
Bangalore - 560 092

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
			Total = 184.09 sqm				
	At the rate of Rs. 7083.98 →					1304089.85	
	Item No 13:- Providing and laying of hot applied thermoplastic compound 2.5mm thick including reflectorising glass beads at 250 gms per sqm area.						
	Main road:-	02	282	0.10	-	= 56.40	
		47	3.0	0.10	-	= 14.10	
	1st main road:-	02	180	0.10	-	= 36.0	
		30	3.0	0.10	-	= 9.0	
	cross road:-	08	3.0	0.10	-	= 2.40	
	2nd main road:-	02	188	0.10	-	= 37.6	
						150.2 sqm	

Assistant Executive Engineer
Kodigehalli Sub Division
Bruhat Bangalore Mahanagara Palike,
Bangalore - 560 092

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agenc
Date of commencement of work .....

Date	Full description, etc, of work
1	2

OOK

Depth 6	Contents 7	*Reference to last Measurement 8
84.09 sqm	1304089.85	
d thermoplastic		
ctorising glass		
-	= 56.40	
-	= 14.10	
-	= 36.0	
-	= 9.0	
	= 2.40	
-	= 37.6	
	150.2 sqm	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494298

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Qty left to. 145.60 sqm						
	At the rate of Rs. 542.72 →						78694.40
				Subtotal =			2697013.85
				Add 10% KRIDL charges =			269701.38
				Add 1% labour cess charges =			26970.14
				Total =			2993685.37

Asstt. E.E.
AE(W7)
24/8

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	*Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Certificate:-						
	1) Certified that contractor has done the work satisfactorily						
	Asstt Ly. N.D AE(Ltd)						
	Assistant Executive Engineer Kodigehalli Sub Division Bruhat Bangalore Mahanagara Bangalore - 560 092						
	Assistant Executive Engineer, Byatarayanapura Sub-division KRIDL, BBMP, Bangalore						

Serial No. .....

Name of Work .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work
1	2
	Mai... roa...

Contents	*Reference to last Measurement
7	8
sk satisfactorily	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494299

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

N

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8



BG layout plan

INDEX
- Asphalt road

Approved. N.D
AE (Tel)

Assistant Executive
Kodigehalli Sub D
Bruhat Bangalore
Bangalore
24/8/18

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions					*Reference to last Measurement
		Number	Length	Breadth	De		
1	1st and 2 Final	3	4	5	6	7	8
	-3223 ರಂದು	BA.	2994400				
	ಕೃತೀಕರ್ಮದ	FD	150000				
	ಲ್ಲು ಮೊಬಲಗು ರೂ. 2994400 ರೂಪಾಯಿ ಪಾವತಿ ಮಾಡಿದೆ.	PW	60000				
	ದರಲ್ಲಿ ರೂ. 315572 ರೂಪಾಯಿ ಹೊಂದಾಣಿಕೆ	Elec	26736				
	ಾದಿಸಿಕೊಂಡು ರೂ. 2678828-00 ರೂಪಾಯಿ	Elec	26736				
	T/NRPT/RCTCS ಮೊತ್ತಗಳನ್ನು ನಿರ್ವಹಣಾಧಿಕಾರಿ	Gr.	3000				
	ಸಹಾಯಕ ಅಭಿಯಂತರರು	Gr	3000				
	ಬ್ಯಾಟರಾಯನಪುರ ವಿಭಾಗ	Fire	4800				
	ಬೆಸಿಬ ಪಾ. ಬೆಂಗಳೂರು	LR	14300				
			315572-00				
			2678828-00				

M. A
Me

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Numb
1	2	3